


MORE THAN MOBILE
QUICKEST



35 m³/h

ELKON QUICK MASTER SERIES CONCRETE BATCHING PLANTS



60 m³/h

ROCKTEC
Rock Technology

11 Waihou Street | Private Bag 4072 | Matamata 3440 | New Zealand
phone +64 7 881 9188 or 0800 735 305 | fax + 64 7 888 6856
email sales@rocktec.co.nz | website www.rocktec.co.nz

 **ELKON**



ELKON QUICK MASTER – 35

TECHNICAL SPECIFICATIONS	
Capacity (m³/h)	35
The Capacity of Aggregate Bunker (m³)	4x7.5
The Capacity of Aggregate Weight Batcher (kg)	0 - 2000
Loading Type of Aggregate to the Mixer	Skip Hoist
Mixer Capacity (l)	750/500
Mixer Type	Pan / Planetary Mixer
Cement Weighing Capacity (kg)	0 - 300
Water Weighing Capacity (kg)	0 - 200
Additive Weighing Capacity (l)	2x15
Control System	SIEMENS PLC +PC
Cement Screw (Ø, mm)	165



ELKON QUICK MASTER – 60

TECHNICAL SPECIFICATIONS	
Capacity (m³/h)	55 - 60
The Capacity of Aggregate Bunker (m³)	4x15
The Capacity of Aggregate Weight Batcher (kg)	0 - 3000
Loading Type of Aggregate to the Mixer	Skip Hoist
Mixer Capacity (l)	1500/1000
Mixer Type	Twinshaft Mixer
Cement Weighing Capacity (kg)	0 - 500
Water Weighing Capacity (kg)	0 - 300
Additive Weighing Capacity (l)	2x25
Control System	SIEMENS PLC +PC
Cement Screw (Ø, mm)	220





ELKON QUICK MASTER-35
TRANSPORT POSITION

ELKON QUICK MASTER-60
TRANSPORT POSITION



GREAT ADVANTAGES OF ELKON QUICK MASTER SERIES

- ELKON Quick Matster - 35 with 1 Unit, 75 Tons, Bolted Type Cement Silo can be transported only by 2 units 40' Open Top Container
- ELKON Quick Matster - 60 with 1 Unit, 75 Tons, Bolted Type Cement Silo can be transported only by 2 units 40' and 1 unit 20' Open Top Containers
- It can be installed within only one day
- Compact design and less installation area
- Less Investment, Operational and Maintenance costs
- Less Foundation costs
- Conformity with standards (GOST-R, UkrSEPRO, AS / NZS and European Norms)